	Application No.	Applicant(s)
Notice of Allowability	10/723,787	BRANSON ET AL.
	Examiner	Art Unit
	Jinhee J. Lee	2175
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.3131. This communication is responsive to 6/3/08. The allowed claim(s) is/are 1-3,5-8,10,11,17-19 and 44. Acknowledgment is made of a claim for foreign priority unal All b) Some* c) None of the:	(OR REMAINS) CLOSED or other appropriate comm IGHTS. This application is and MPEP 1308.	in this application. If not included nunication will be mailed in due course. THIS subject to withdrawal from issue at the initiative
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submin INFORMAL PATENT APPLICATION (PTO-152) which give	IENT of this application. itted. Note the attached EX	(AMINER'S AMENDMENT or NOTICE OF
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date	,	
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1	.84(c)) should be written on	the drawings in the front (not the back) of
 each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ⊠ Interview Paper No 7. ⊠ Examiner'	nformal Patent Application Summary (PTO-413), J/Mail Date <u>20080815</u> . S Amendment/Comment S Statement of Reasons for Allowance

Art Unit: 2175

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Gero McClellan on 8/15/08.

The application has been amended as follows:

In the Claims:

- 1. Cancel claim 45
- 2. Amend claim 1 as below:

Claim 1, (Currently Amended) A method of displaying hover assistance on a display screen, comprising:

moving a pointer element to a position over a user interface element shown on the display screen in response to user manipulation of a pointing device;

while the pointer element is positioned over the user interface element, invoking a first hover element for display on the display screen;

wherein the first hover element comprises a first plurality of indications of respective actions to be performed by a user to cause execution of an associated operation, each of the first plurality of

Deleted: invoking a second hover element for display on the display screen after invoking the first hover element, wherein invoking the second hover element is responsive to the pointer element continuing to be positioned over the user interface element for a first predetermined period of time: and ¶

Deleted: each of

Deleted: and the second hover element

Art Unit: 2175

indications being user-selectable from the <u>first</u> hover element by a mouse pointer;

wherein

1) upon selection of any of the indications of the <u>first</u> plurality of indications from the first hover element prior to the expiration of <u>a first predetermined period of time processing</u> branches to execute the associated operation;

2) upon no selection of any of the indications of the plurality of indications from the first hover element, invoking a second hover element for display on the display screen after invoking the first hover element, wherein invoking the second hover element is responsive to the pointer element continuing to be positioned over the user interface element for the first predetermined period of time; and

wherein the second hover element comprises a second plurality of indications of respective actions to be performed by a user to cause execution of associated operation, each of the second plurality of indications being user-selectable from the second hover element by a mouse pointer:

wherein at least the second hover element includes a userselectable copy element which, when selected, causes the second hover element to be copied to a clipboard; Deleted: respective

Deleted: the

Deleted: causes execution of the associated operation in lieu of invoking the second hover element, in which case the second hover element is not invoked after the expiration of the first predetermined period of time and

Deleted: instead

Application/Control Number: 10/723,787 Page 4

Art Unit: 2175

wherein the first and second hover element provide assistance regarding the user interface element.

Allowable Subject Matter

- 2. Claims 1-3, 5-8, 10-11, 17-19 and 44 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

Re claims 1-3, 5-8, 10-11, 17-19 and 44, prior arts do not teach or suggest the combination of method of displaying hover assistance on a display screen wherein the first and second hover element and includes a first and a second plurality of indications of respective actions to be performed by a user to cause execution of an associated operation, each of the first plurality of indications being user-selectable from the first hover element by a mouse pointer; wherein 1) upon selection of any of the indications of the first plurality of indications from the first hover element prior to the expiration of a first predetermined period of time, processing branches to execute the associated operation; 2) upon no selection of any of the indications of the plurality of indications from the first hover element, invoking a second hover element for display on the display screen after invoking the first hover element, wherein invoking the second hover element is responsive to the pointer element continuing to be positioned over the user interface element for the first predetermined period of time; and wherein at least the second hover element includes a user-selectable copy element which, when selected, causes the second hover element to be copied to a clipboard; wherein the first and second hover element provide assistance regarding the user interface element

Application/Control Number: 10/723,787 Page 5

Art Unit: 2175

. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Response to Arguments

4. Applicant's arguments and amendments filed June 3, 2008, along with the examiner's amendment above have been fully considered and finds the argument along with the amendments to the claim persuasive.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jinhee J. Lee whose telephone number is 571-272-1977. The examiner can normally be reached on M- F at 8:30AM-5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Bashore can be reached on 571-272-2100 ext. 75. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/723,787

Art Unit: 2175

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jinhee J Lee/ Primary Examiner, Art Unit 2175

Page 6

jjl